



## Parts List for Freedom Arms (22 Long Rifle and 22 Win. Magnum)

ITEM	DESCRIPTION	PRICE
1A	Receiver (L.R.)*	
1B	Receiver (Win.Mag.)*	
2A	Barrel (L.R.) 1"	12.00
2B	Barrel (L.R.) 1 1/2"	16.00
2C	Barrel (L.R.) 3"	20.00
2D	Barrel (Win.Mag.) 1"	12.00
2E	Barrel (Win.Mag.) 1 1/2"	16.00
2F	Barrel (Win.Mag.) 3"	20.00
3	Side Plate Cover*	18.00
4	Side Plate Cover Screw	1.35
5	Hammer*	20.00
6	Mainspring	4.00
7	Hammer Axis Pin	1.35
8	Trigger*	17.20
9	Trigger Spring	1.35
10	Trigger Axis Pin	2.05
11A	Cylinder (22L.R. 5 shot)*	31.05
11B	Cylinder (22Win.Mag. 4 Shot)*	**30.50
11C	Cylinder (22L.R. 4 Shot Spec.)*	**30.50
12	Cylinder Lock (bolt)*	11.45
13	Cylinder Lock Axis Pin*	1.35
14	Cylinder Lock Spring	1.35
15A	Cylinder Pin (22L.R.)	9.00
15B	Cylinder Pin (22Win.Mag.)	10.00
16	Cylinder Pin Spring	1.35
17	Hand*	3.50
18	Hand Pin	1.75
19	Hand Spring	2.25
20	Front Sight*	2.00
21A	Grips, Black Plastic	5.70
21B	Grips, Black Oversized	9.90
22A	Grip Screw (Standard)	1.50
22B	Grip Screw (Oversized Grips)	1.50
23	Floating Firing Pin	4.00
24	Floating Firing Pin Spring	1.35
25	Sideplate/Belt Buckle Stud	1.40

**NOTE: Warranty voided unless repairs or replacements are made at the factory.**

- ° Should be replaced or repaired at the factory only!
- \*\*if long rifle cylinder is not ordered with new magnum revolver, gun must be returned to factory and a \$10.00 fitting charge will be added.

*Prices subject to change without notice.*

## **LIMITED WARRANTY**

Freedom Arms, Inc., of One Freedom Lane, P. O. Box 1776, Freedom, Wyoming, 83120, hereinafter called "WARRANTOR," hereby warrants to the original retail purchaser, hereinafter called the "PURCHASER," of any firearm manufactured by Freedom Arms, Inc., that each such firearm is free from defects in material and workmanship under normal use and service. This Limited Warranty is extended only to the original retail purchaser of any firearm manufactured by WARRANTOR, and shall be effective only during the ownership of any such firearm by the original retail purchaser. The term "original retail purchaser" means the person who first purchases any such firearm new from a retail dealer, or the person for whom such firearm was purchased, if the purchase was made as a gift. The duration of this Limited Warranty shall expire upon the dispossession of the original retail purchaser of the firearm covered herein.

This Limited Warranty shall not apply to any firearm otherwise covered under the terms of this Limited Warranty which has been altered or modified in any way, or upon which there has been repairs not specifically authorized by WARRANTOR, or which in the opinion of the gunsmiths of WARRANTOR has been the subject of misuse, neglect, negligence, improper care, accident, unreasonable use, or is the result of ordinary wear and tear.

In the event any defect in material or workmanship occurs within the warranty period described above, written notice of such defect must be given to WARRANTOR at its address stated above by PURCHASER within sixty (60) days after the first occurrence of such defect or after such defect was, or with reasonable diligence should have been discovered by PURCHASER, whichever occurs first. Within thirty (30) days after timely receipt by WARRANTOR of the written notice of defect described above, WARRANTOR shall notify PURCHASER of the proper action to take in order to remedy the defect complained of. At the election of WARRANTOR, PURCHASER shall, at his expense, transport the defective firearm to the manufacturing facilities of WARRANTOR at the address stated above, for inspection, repair or replacement by WARRANTOR. All expenses for parts and labor to repair or at the option of WARRANTOR to replace any defective firearm under the terms of this Limited Warranty together with return freight on any defective firearm delivered to WARRANTOR'S manufacturing facility as described above, shall be paid for or provided by and at the expense of WARRANTOR. No defective firearm as described above shall be repaired outside the manufacturing facilities of WARRANTOR at Freedom, Wyoming without specific written authorization by WARRANTOR.

Within thirty (30) days after the original purchase at retail of any firearm to be covered under the terms of this Limited Warranty, the original retail purchaser shall complete and return to WARRANTOR at its address stated above the Owner's Registration Card herewith provided. Compliance by PURCHASER of his obligation to fully complete and return to WARRANTOR the said Owner Registration Card within the time period set forth above, shall be a condition precedent to warranty coverage and performance as described herein.

*(over)*

Failure by the PURCHASER to timely comply with the responsibilities herein imposed upon him shall relieve WARRANTOR of any obligation or liability with regard to any such defect. Any question regarding the procedure necessary to obtain performance of any warranty obligation hereunder may be directed to WARRANTOR at its address stated above or by calling collect the telephone number 1-307-883-2468.

No informal dispute settlement mechanism is provided by this Limited Warranty.

Upon expiration of the warranty period stated above, any and all liability or obligation of WARRANTOR arising from the manufacture, sale, or use of any firearm covered under the terms of this Limited Warranty shall terminate.

Except for the express terms of this Limited Warranty, WARRANTOR assumes no obligations and it authorizes no person to assume for it any other obligation or liability in connection with any firearm manufactured by WARRANTOR.

### **LIMITATIONS ON IMPLIED WARRANTIES**

THIS WRITTEN LIMITED WARRANTY IS MADE EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED IN FACT OR BY LAW, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND IS IN LIEU OF ANY OTHER OBLIGATION OR LIABILITY ON THE PART OF WARRANTOR TO ANY ONE OF ANY NATURE WHATSOEVER BY REASON OF THE MANUFACTURE AND/OR SALE AND/OR USE OF ANY FIREARM MANUFACTURED BY WARRANTOR. ANY AND ALL IMPLIED WARRANTIES SPECIFICALLY ARISING UNDER AND REQUIRED BY LAW ARE HEREBY EXPRESSLY LIMITED IN DURATION TO THE WARRANTY PERIOD HEREINABOVE DESCRIBED.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

### **LIMITATIONS ON INCIDENTAL OR CONSEQUENTIAL DAMAGES**

WARRANTOR SHALL IN NO EVENT BE LIABLE TO ANY PURCHASER OR TO ANY OTHER PERSON OR PERSONS FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL LOSS OR DAMAGES OR FOR ANY OTHER LOSS OR DAMAGE TO PROPERTY AND/OR INJURY OR DEATH TO PERSONS, OTHER THAN FOR THE REPAIR OR REPLACEMENT OF ANY DEFECTIVE FIREARM AS DESCRIBED HEREIN. IN NO EVENT SHALL THE LIABILITY OF WARRANTOR PURSUANT TO THIS LIMITED WARRANTY EXCEED THE PURCHASE PRICE OF THE FIREARM HEREIN WARRANTED. NO BILL OF SALE OR TRANSFER OF TITLE TO ANY FIREARM COVERED UNDER THE TERMS OF THIS LIMITED WARRANTY SHALL NULLIFY THESE LIABILITY LIMITATIONS.

SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

**FREEDOM ARMS, INC.  
FREEDOM, WYOMING**

PATENTED NOS.: 4228606, 4228607, 4228608, AND OTHERS PENDING.

CONGRATULATIONS! You have purchased a firearm that will give you a lifetime of shooting pleasure and dependability. Please completely familiarize yourself with your revolver and its operation before actual firing. '

## SAFETY

Retract your hammer approximately  $\frac{1}{4}$  of the way and you will feel it lock into the safety and loading notch. With the hammer in this position your revolver is safe for handling and loading. Become proficient in this operation before actually firing or loading the revolver. **IMPORTANT: This revolver, as with any revolver, must be carried with an empty chamber under the firing pin.**

## LOADING

To load your revolver the cylinder must first be removed. To accomplish this, first place the hammer in its safety notch, then remove the cylinder pin by grasping the knurled knob at the end of the pin and pushing the pin in very slightly. Rotate the pin  $180^\circ$ , and pull the pin out. When the pin is free remove the cylinder by pushing it out of the right side of the revolver. Place five (5) rounds of .22 caliber short, long or long rifle ammunition, or four (4) rounds of .22 Winchester Magnum Rimfire ammunition in the cylinder and replace it in the revolver by reversing the above instructions. After the cylinder is positioned, the cylinder pin is inserted with the flat portion of the pin locking collar turned to be against the gun barrel. ***After the pin is inserted and the collar is pushed fully into the hole, the pin should be rotated  $180^\circ$ . You will feel the pin click into place as you release the knob.*** The cylinder pin can also be used to remove fired cases or loaded ammo from the cylinder. The cylinder is designed to rotate when the chambers are loaded. Occasionally, when becoming familiar with the Freedom Mini-Revolver, you may experience a locking of the cylinder (this will only

(over)



happen to an unloaded gun). If this happens just rotate the cylinder by hand to the next locking position.

## **FIRING**

To fire the revolver, draw the hammer all the way to the rear until it locks in the "full cock" or firing position. (Be certain that the hammer is locked back before releasing it from your finger.) Actual firing of the revolver is accomplished by depressing the trigger when the hammer is in the full cock position.

**IMPORTANT** - The small size of your revolver makes it imperative that you become familiar with its operation and functioning prior to actual firing. It is a good idea to dry fire your weapon until you are completely familiar with it. (Dry firing will not harm your revolver).

## **CARE AND SERVICE**

Although your revolver is stainless steel it should, of course, be kept clean. After firing clean the bore and chambers with a brush, solvent and patches. A very light film of oil can be left in the bore and chambers. The outside surface of the revolver should be dry. The revolver should not be disassembled other than removing the cylinder pin, cylinder and grips. (The grips should be removed prior to cleaning).

For service or repairs contact:

**FREEDOM ARMS**  
No. 1 Freedom Lane  
P.O. Box 150  
Freedom, WY 83120